

Labnet Digital Dry Baths

Labnet will be launching a new line of Digital Dry Baths in Q2 2017, which will replace the current units. We have expanded the line, adding a 4 block model and have made several improvements, which are highlighted below. One important point is that the new units will accept the same aluminum blocks. Additionally, the heating ramp rate is faster on the new unit and customers can expect the same tight performance with regards to temperature accuracy and uniformity.

| Features | Current Labnet Dry Bath | Labnet Upgrade |
|------------------------|-----------------------------|--------------------------------|
| Part Number | D1100, D1200 | D1301, D1302, D1304 |
| Dimensions | 7.9 x 10.4 x 3.3 in | 7.9 x 10.4 x 3.3 in (dual) |
| Capacity | 1, 2 blocks | 1, 2 or 4 blocks |
| Temperature Range | Ambient +5 to 150°C | Ambient +5 to 150°C |
| Temperture Accuracy | ±0.3°C | ±0.3°C |
| Temperature Uniformity | ±0.2°C | ±0.2°C |
| Temperature Increments | 0.1°C | 0.1°C |
| Display | Digital - Single | Digital - Dual |
| External Temp Probe | N/A | Yes, optional accessory |
| Chamber construction | Bent welded stainless steel | Uniformly molded |
| Block lid | No | Yes, included |
| Interface | RS232 | USB |
| Compliance Marks | CE | CE/TUV/CSA |
| Warranty | 1 year | 3 years |



Phone toll free: 1-800-492-1110 option 2
labnetinfo@corning.com • www.labnetinternational.com

Labnet
Labnet International